

JB

CENTRAL INTELLIGENCE AGENCY
INFORMATION REPORT

REPORT NO. [REDACTED] 25X1A

CD NO.

COUNTRY Rumania

DATE DISTR. 26 Dec. 1950

SUBJECT Petroleum Chart

NO. OF PAGES 1

PLACE ACQUIRED [REDACTED]

NO. OF ENCLS. 1
(LISTED BELOW)

25X1C

DATE OF INFO ACQUIRED [REDACTED]

SUPPLEMENT TO REPORT NO.

25X1X

Attached herewith for your information and retention is a petroleum chart concerning seven Rumanian oil fields.

THIS DOCUMENT HAS AN ENCLOSURE ATTACHED
DO NOT DETACH

25X1A

RETURN TO CIA LIBRARY



25X1A

25X1A

CLASSIFICATION SECRET

CONDUCTELE DE PETROL C. F. R.

Luna

25X

STAȚII DE POMPARE

BULETIN ZILNIC

Băicoi

Regim de pompare :

NUMARUL rezervorului și capa- citatea	Cantitatea in vagoane		Proces verbal	SOCIETATEA	Cm. in rezer.	Observații
	Totală	Recepționată				
5 -- 1708 1 cm.	130					
6 -- 1708 "	130					
10 -- 1708 "	130					
11 -- 1708 "	130					
12 -- 1704 80 "	130					
13 -- 1704 25 "	130					

Regim de pompare :

1 -- 1708 1 cm.	130					
2 -- 1708 "	130					
3 -- 17 8 "	130					
4 -- 1708 "	130					
7 -- 1708 "	130					
8 -- 1708 "	130					
9 -- 1708 "	130					

Teleajen

Regim de pompare:

NUMARUL rezervorului și capa- citatea	Cantitatea in vagoane		Proces verbal	SOCIETATEA	Cm. in rezer.	Observații
	Totală	Recepționată				
13 — 4443 54 l/cm.	400					
15 — 1037 70 "	75					
16 — 1037 52 "	75					
18 — 3136 53 "	300					
19 — 4901 36 "	500					
21 — 4901 75 "	500					
22 — 4904 17 "	500					
24 — 3210 77 "	250					
25 — 3204 01 "	250					
26 — 3201 58 "	250					
28 — 2548 35 "	210					
29 — 1707 61 "	120					
30 — 3210 — "	250					
33 — 1708 7 "	120					
34 — 1707 61 "	120					
35 — 3211 48 "	250					
36 — 3211 31 "	250					

Regim de pompare:

.....

.....

.....

NUMARUL rezervorului și capa- citatea	Cantitatea în vagoane		Proces verbal	S O C I E T A T E A	Cm. in rezer.	Observații
	Totală	Receptionată				
1 — 944 50 l. cm.	50					
2 — 951 12 "	50					
3 — 597 61 "	35					
4 — 785 28 "	40					
5 — 2006 "	140					

Regim de pompare:

.....

.....

5 — 1540 60 l/cm.	90					
6 — 1538 20 "	90					
8 — 1761 66 "	130					

Buzău

Regim de pompare:

.....

44 — 1707 5 l. cm.	125					
45 — 1709 8 "	125					

Hagieni

Regim de pompare:

.....

47 — 1706 42 l/cm.	125					
50 — 1706 18 "	125					

Palas

NUMĂRUL REZERVORULUI ȘI CAPACITATEA	Cantitatea in vagoane		Cm.	SOLDURI CREDITOARE IN ORDINEA PREDĂRILOR	Observații
	Totală	Existentă			
55 -- 1980 1/cm.	140*)				
56 -- 3205 65 "	220				
57 -- 3205 65 "	220				
58 -- 1980 "	140*)				
59 -- 3206 65 "	220				
60 -- 3206 4 "	220				
62 -- 4301 2 "	450				
64 -- 3215 18 "	220				
65 -- 4301 2 "	450				
66 -- 3211 4 "	220				

Giurgiu

1 -- 1712 1/cm.	130				
3 -- 1712 "	130				
5 -- 1712 "	130				
7 -- 1712 "	130				
9 -- 1711 "	130				
11 -- 1711 "	130				
13 -- 1711 "	130				

2 -- 1712 1/cm.	130				
4 -- 1712 "	130				
6 -- 1712 "	130				
8 -- 1712 "	130				
10 -- 1712 "	130				
12 -- 1712 "	130				

*) La fiecare reparare se adaugă: La total litri 26 400 litri, care reprezintă capacitatea fundului conic.